

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTADEG1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\*\*\*\*\* Welcome to STN International \*\*\*\*\*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 DEC 01 ChemPort single article sales feature unavailable  
NEWS 3 JUN 01 CAS REGISTRY Source of Registration (SR) searching  
enhanced on STN  
NEWS 4 JUN 26 NUTRACEUT and PHARMAML no longer updated  
NEWS 5 JUN 29 IMSCOPROFILE now reloaded monthly  
NEWS 6 JUN 29 EPFULL adds Simultaneous Left and Right Truncation  
(SLART) to AB, MCLM, and TI fields  
NEWS 7 JUL 09 PATDPAFULL adds Simultaneous Left and Right  
Truncation (SLART) to AB, CLM, MCLM, and TI fields  
NEWS 8 JUL 14 USGENE enhances coverage of patent sequence location  
(PSL) data  
NEWS 9 JUL 27 CA/CAPLUS enhanced with new citing references  
NEWS 10 JUL 16 GBFULL adds patent backfile data to 1855  
NEWS 11 JUL 21 USGENE adds bibliographic and sequence information  
NEWS 12 JUL 28 EPFULL adds first-page images and applicant-cited  
references  
NEWS 13 JUL 28 INPADOCDB and INPAFAMDB add Russian legal status data  
NEWS EXPRESS May 26 09 CURRENT WINDOWS VERSION IS V8.4,  
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN customer  
agreement. This agreement limits use to scientific research. Use  
for software development or design, implementation of commercial  
gateways, or use of CAS and STN data in the building of commercial  
products is prohibited and may result in loss of user privileges  
and other penalties.

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 18:59:19 ON 08 AUG 2009

=> file registry		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.44	0.44

FILE 'REGISTRY' ENTERED AT 19:00:12 ON 08 AUG 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 7 AUG 2009 HIGHEST RN 1173625-74-5  
DICTIONARY FILE UPDATES: 7 AUG 2009 HIGHEST RN 1173625-74-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.



Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10-565948genA.str



chain nodes :  
6 7 8 9 10 11 12 13 14 17 20  
ring nodes :  
1 2 3 4 5  
chain bonds :  
2-20 5-6 6-7 7-8 8-9 8-17 9-12 9-11 9-10 12-13 12-14

ring bonds :  
 1-2 1-5 2-3 3-4 4-5  
 exact/norm bonds :  
 1-2 1-5 2-3 2-20 3-4 4-5 5-6 6-7 7-8 8-9 8-17 9-11 9-10 12-13 12-14  
 exact bonds :  
 9-12

G1:H,Cb,Hy,Ak

G2:O,N

G3:Cb,Hy

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS  
 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 17:CLASS 20:CLASS

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 H,Cb,Hy,Ak

G2 O,N

G3 Cb,Hy

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss full

FULL SEARCH INITIATED 19:00:54 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 12505 TO ITERATE

100.0% PROCESSED 12505 ITERATIONS

137 ANSWERS

SEARCH TIME: 00.00.02

L2 137 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

186.36

186.80

FILE 'CAPLUS' ENTERED AT 19:01:21 ON 08 AUG 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Aug 2009 VOL 151 ISS 7  
FILE LAST UPDATED: 7 Aug 2009 (20090807/ED)  
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2009  
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2009

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2009.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

The ALL, BIB, MAX, and STD display formats in the CA/Caplus family of databases have been updated to include new citing references information. This enhancement may impact record import into database management software. For additional information, refer to NEWS 22.

=> s l2

L3 1 L2

=> d l2 abs ibib

YOU HAVE REQUESTED DATA FROM FILE 'REGISTRY' - CONTINUE? (Y)/N:n

=> d l3 abs ibib

L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2009 ACS on STN

GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB Title compds. I [W = II, etc.; R1 = NHOH, OH, alkyloxy; R2, R21 = H, (un)substituted alkyl, etc.; R3 = H, (un)substituted alkyl, etc.; R4 = (un)substituted arylene, etc.; R5 = III; R6 = (un)substituted aryl] were prepared. For example, reaction of compound IV with 4-ethynyltoluene in the presence of N-chlorosuccinimide followed by hydrolysis using NaOH afforded compound V in 64% overall yield. In MMP-12 (matrix metalloprotease-12) enzyme inhibition assays, the IC50 value of compound V was 70.7 nM. Compds. I are claimed useful as MMP inhibitors. Formulations are given.

ACCESSION NUMBER: 2005:120903 CAPLUS

DOCUMENT NUMBER: 142:219266

TITLE: Preparation of isoxazole derivatives having sulfonamide moiety as MMP inhibitors

INVENTOR(S): Watanabe, Fumihiko; Yoshikawa, Naoki; Tamura, Yoshinori  
 PATENT ASSIGNEE(S): Shionogi & Co., Ltd., Japan  
 SOURCE: PCT Int. Appl., 103 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005012268	A1	20050210	WO 2004-JP10697	20040728
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1650199	A1	20060426	EP 2004-748009	20040728
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
US 20060183770	A1	20060817	US 2006-565948	20060126
PRIORITY APPLN. INFO.:			JP 2003-282354	A 20030730
			WO 2004-JP10697	W 20040728
OTHER SOURCE(S):	MARPAT 142:219266			
REFERENCE COUNT:	13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT			

=> file registry  
 COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
5.50	192.30

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-0.82	-0.82

CA SUBSCRIBER PRICE

FILE 'REGISTRY' ENTERED AT 19:04:14 ON 08 AUG 2009  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 7 AUG 2009 HIGHEST RN 1173625-74-5  
 DICTIONARY FILE UPDATES: 7 AUG 2009 HIGHEST RN 1173625-74-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.



Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10-565948genB.str



```
chain nodes :
6 7 8 9 10 11 12 13 14 17 20
ring nodes :
1 2 3 4 5
chain bonds :
2-20 5-6 6-7 7-8 8-9 8-17 9-12 9-11 9-10 12-13 12-14
ring bonds :
1-2 1-5 2-3 3-4 4-5
exact/norm bonds :
1-2 1-5 2-3 2-20 3-4 4-5 5-6 6-7 7-8 8-9 8-17 9-11 9-10 12-13 12-14
exact bonds :
9-12
```

G1:H,Cb,Hy,Ak

G2:O,N

G3:Cb,Hy

Match level :


```
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS
10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 17:CLASS 20:CLASS
```

L4            STRUCTURE UPLOADED

=> d l4

L4 HAS NO ANSWERS

L4            STR



G1 H,Cb,Hy,Ak

G2 O,N

G3 Cb,Hy

Structure attributes must be viewed using STN Express query preparation.

=> s l4 sss full

FULL SEARCH INITIATED 19:04:56 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 12505 TO ITERATE

100.0% PROCESSED 12505 ITERATIONS

126 ANSWERS

SEARCH TIME: 00.00.02

L5            126 SEA SSS FUL L4

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

186.36

378.66

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-0.82

FILE 'CAPLUS' ENTERED AT 19:05:11 ON 08 AUG 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Aug 2009 VOL 151 ISS 7

FILE LAST UPDATED: 7 Aug 2009 (20090807/ED)  
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2009  
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2009

CAPLUS now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2009.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

The ALL, BIB, MAX, and STD display formats in the CA/CAPLUS family of databases have been updated to include new citing references information. This enhancement may impact record import into database management software. For additional information, refer to NEWS 22.

=> s l5

L6                    2 L5



=> s l6 not l3

L7                    1 L6 NOT L3

=> d l7 abs ibib

L7    ANSWER 1 OF 1    CAPLUS    COPYRIGHT 2009 ACS on STN

GI



AB    Title compds. represented by the formula I [wherein X = -N=, Y = O; X = -O-, Y = -N=; R1 = substituted biphenyl, 4-phenoxyphenyl or 4-(phenylalkoxy)phenyl; R2 = (un)substituted alkyl, amino, sulfamoyl, etc.; and physiolo. hydrolyzable derivs., hydrates or solvates thereof] were prepared as sphingosine-1-phosphate (S1P) receptor ligands. For example, II was provided in a multi-step synthesis starting from 4-chloro-3-trifluoromethylbenzoic acid. I showed binding affinity to human S1P1 receptor with EC50 < 1 nM, are active in in vitro FLIPR calcium flux assay at a concentration of from 10<sup>-12</sup>-3.10<sup>-5</sup> nM, and have EC50 of less than



10 mg/kg in in vivo screening assays for measurement of blood lymphocyte depletion. Thus, I and their pharmaceutical compns. are useful as S1P receptor ligands, particularly as immunosuppressants.

ACCESSION NUMBER: 2006:1311129 CAPLUS  
DOCUMENT NUMBER: 146:62699  
TITLE: Preparation of polycyclic oxadiazoles or isoxazoles as S1P receptor ligands  
INVENTOR(S): Albert, Rainer; Weiler, Sven; Zecri, Frederic  
PATENT ASSIGNEE(S): Novartis A.-G., Switz.; Novartis Pharma G.m.b.H.  
SOURCE: PCT Int. Appl., 53pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006131336	A1	20061214	WO 2006-EP5422	20060607
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
AU 2006256968	A1	20061214	AU 2006-256968	20060607
CA 2610310	A1	20061214	CA 2006-2610310	20060607
EP 1893591	A1	20080305	EP 2006-754184	20060607
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR			
JP 2008545767	T	20081218	JP 2008-515134	20060607
IN 2007DN08843	A	20080627	IN 2007-DN8843	20071116
CN 101184739	A	20080521	CN 2006-80018692	20071128
MX 2007015422	A	20080221	MX 2007-15422	20071206
KR 2008014009	A	20080213	KR 2007-728641	20071207
US 20080306124	A1	20081211	US 2008-916610	20080703
PRIORITY APPLN. INFO.:			GB 2005-11684	A 20050608
			GB 2005-25064	A 20051208
			GB 2006-405	A 20060110
			WO 2006-EP5422	W 20060607
OTHER SOURCE(S):	CASREACT 146:62699; MARPAT 146:62699			
OS.CITING REF COUNT:	7	THERE ARE 7 CAPLUS RECORDS THAT CITE THIS RECORD (7 CITINGS)		
REFERENCE COUNT:	10	THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT		

=> log off

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

STN INTERNATIONAL LOGOFF AT 19:12:50 ON 08 AUG 2009